




[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#)
Search: The ACM Digital Library The Guide



[Feedback](#)

(clock and synchronization and Byzantine and time and request) and
("upper bound" or "lower bound" or "upper limit" or "lower limit" or
"reference time" or "master time")

Terms used:

[clock](#) [synchronization](#) [Byzantine](#) [time](#) [request](#) [upper](#)
[bound](#) [lower bound](#) [upper limit](#) [lower limit](#) [reference](#)
[time](#) [master](#) [time](#)

Sort results by

[Save results to a Binder](#)

Refine these results

Display results

[Open results in a new window](#)

Try this search

Results 1 - 20 of 25

Result page: 1

1 [Lightweight time synchronization for sensor networks](#)

[Jana van Greunen, Jan Rabaey](#)

[September 2003](#) [WNSA '03: Proceedings of the 2nd ACM international conference on Wireless sensor network applications](#)

Publisher: ACM

Full text available: [PDF \(1.38 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 110, Citation 1

This paper presents lightweight tree-based synchronization (LTS) methods for sensor networks. First, a wise synchronization scheme is analyzed. This scheme requires the exchange of only three messages and has good error properties. ...

Keywords: lightweight, multi-hop, spanning tree, synchronization

2 The costs and limits of availability for replicated services

◆ Haifeng Yu, Amin Vahdat

◆ February 2006 ACM Transactions on Computer Systems (TOCS), Volume 24 Issue 1

Publisher: ACM

Full text available: [PDF](#) (718.65 KB)

Additional Information: [full citation](#), [abstract](#), [reference](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 18, Downloads (12 Months): 185, Citation 1

As raw system performance continues to improve at exponential rates, the utility of many services is determined by availability rather than performance. A key approach to improving availability involves replicating multiple, ...

Keywords: Availability, continuous consistency, network services, replication, trade-off, upper bound

3 Byzantine disk paxos: optimal resilience with byzantine shared memory

◆ Ittai Abraham, Gregory V. Chockler, Idit Keidar, Dahlia Malkhi

◆ July 2004 PODC '04: Proceedings of the twenty-third annual ACM symposium on Principles of distributed computing

Publisher: ACM

Full text available: [PDF](#) (253.82 KB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

terms

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 24, Citation 1

We present Byzantine Disk Paxos, an asynchronous shared-memory consensus protocol that uses a disks, t of which may fail by becoming non-responsive or arbitrarily corrupted. We give two constru

Keywords: Byzantine failures, consensus, shared-memory emulations, termination conditions

4 Self-stabilizing clock synchronization in the presence of Byzantine faults

◆ Shlomi Dolev, Jennifer L. Welch

◆ September 2004 Journal of the ACM (JACM), Volume 51 Issue 5

Publisher: ACM

Full text available: [PDF](#) (151.98 KB)

Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 92, Citation C

We initiate a study of bounded clock synchronization under a more severe fault model than that proposed by Lamport and Melliar-Smith [1985]. Realistic aspects of the problem of synchronizing clocks in the presence of faults are considered. One aspect ...

Keywords: Byzantine failures, clock synchronization, self-stabilization

5 Practical byzantine fault tolerance and proactive recovery

◆ Miguel Castro, Barbara Liskov

◆ November 2002 ACM Transactions on Computer Systems (TOCS), Volume 20 Issue 4

Publisher: ACM

Full text available:

Additional Information: [full citation](#), [abstract](#), [reference terms](#)

 [Pdf \(1.63 MB\)](#)

[terms, review](#)

Bibliometrics: Downloads (6 Weeks): 38, Downloads (12 Months): 339, Citation

Our growing reliance on online services accessible on the Internet demands highly available system service without interruptions. Software bugs, operator mistakes, and malicious attacks are a major interruptions ...

Keywords: Byzantine fault tolerance, asynchronous systems, proactive recovery, state machine re transfer

6 ODSBR: An on-demand secure Byzantine resilient routing protocol for wireless ad hoc netwo

◆ Baruch Awerbuch, Reza Curtmola, David Holmer, Cristina Nita-Rotaru, Herbert Rubens
◆ January 2008 ACM Transactions on Information and System Security (TISSEC), Volume 10
Publisher: ACM

Full text available:  [Pdf \(2.02 MB\)](#) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 30, Downloads (12 Months): 240, Citation

Ah hoc networks offer increased coverage by using multihop communication. This architecture makes them vulnerable to internal attacks coming from compromised nodes that behave arbitrarily to disrupt the network referred to as Byzantine ...

Keywords: Ad hoc wireless networks, byzantine failures, on-demand routing, security

7 PeerReview: practical accountability for distributed systems

◆ Andreas Haeberlen, Petr Kouznetsov, Peter Druschel
◆ October 2007 SOSP '07: Proceedings of twenty-first ACM SIGOPS symposium on Operating system

Publisher: ACM

Full text available: [PDF](#) (363.72 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 239, Citation

We describe PeerReview, a system that provides accountability in distributed systems. PeerReview detects Byzantine faults whose effects are observed by a correct node are eventually detected and irrefutable. At the same time, ...

Keywords: accountability, byzantine faults, distributed systems, fault detection

8 [PeerReview: practical accountability for distributed systems](#)

 Andreas Haeberlen, Petr Kouznetsov, Peter Druschel

 October 2007 ACM SIGOPS Operating Systems Review, Volume 41 Issue 6

Publisher: ACM

Full text available: [PDF](#) (363.72 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 239, Citation

We describe PeerReview, a system that provides accountability in distributed systems. PeerReview detects Byzantine faults whose effects are observed by a correct node are eventually detected and irrefutable. At the same time, ...

Keywords: accountability, byzantine faults, distributed systems, fault detection

9 [Bimodal multicast](#)

 Kenneth P. Birman, Mark Hayden, Oznur Ozkasap, Zhen Xiao, Mihai Budiu, Yaron Minsky

 May 1999 ACM Transactions on Computer Systems (TOCS), Volume 17 Issue 2

Publisher: ACM

Additional Information: [full citation](#), [abstract](#), [reference](#)

Full text available: [PDF](#) (302.06 KB)

[terms](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 166, Citation C

There are many methods for making a multicast protocol "reliable." At one end of the spectrum, a protocol might offer toxicity guarantees, such as all-or-nothing delivery, delivery ordering, and per properties ...

10 Contention in shared memory algorithms

◆ Cynthia Dwork, Maurice Herlihy, Orli Waarts

◆ November 1997 *Journal of the ACM (JACM)*, Volume 44 Issue 6

Publisher: ACM

Full text available: [PDF](#) (154.50 KB)

Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 88, Citation C

Most complexity measures for concurrent algorithms for asynchronous shared-memory architecture steps and memory consumption. In practice, however, performance of multiprocessor algorithms is contention, ...

Keywords: contention, counting networks, mutual exclusion

11 User-level internet path diagnosis

◆ Ratul Mahajan, Neil Spring, David Wetherall, Thomas Anderson

◆ December 2003 *ACM SIGOPS Operating Systems Review*, Volume 37 Issue 5

Publisher: ACM

Additional Information: [full citation](#), [abstract](#), [reference](#)

Full text available: [PDF](#) (403.57 KB)

[terms](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 97, Citation C

Diagnosing faults in the Internet is arduous and time-consuming, in part because the network is composed of components spread across many administrative domains. We consider an extreme form of this problem with no special privileges, ...

Keywords: measurement tools, path diagnosis

12 Transactional file systems can be fast

 Barbara Liskov, Rodrigo Rodrigues

 September 2004 EW'11: Proceedings of the 11th workshop on ACM SIGOPS European workshop

Publisher: ACM

Full text available: [PDF](#) (93.96 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 46, Citation C

Transactions ensure simple and correct handling of concurrency and failures but are often considered a performance bottleneck. This paper argues that performance is not a barrier to running transactions. It proposes a mechanism that ...

13 User-level internet path diagnosis

 Ratul Mahajan, Neil Spring, David Wetherall, Thomas Anderson

 October 2003 SOSP '03: Proceedings of the nineteenth ACM symposium on Operating systems principles

Publisher: ACM

Full text available: [PDF](#) (403.57 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)
[terms](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 97, Citation C

Diagnosing faults in the Internet is arduous and time-consuming, in part because the network is composed of components spread across many administrative domains. We consider an extreme form of this problem with no special privileges, ...

Keywords: measurement tools, path diagnosis

14 On fairness in simulability-based cryptographic systems

◆ Michael Backes, Dennis Hofheinz, Jörn Müller-Quade, Dominique Unruh

◆ November 2005 FMSE '05: Proceedings of the 2005 ACM workshop on Formal methods in security

Publisher: ACM

Full text available: [PDF](#) (276.43 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 18, Citation C

Simulability constitutes the cryptographic notion of a secure refinement and has asserted its position as a fundamental concept of modern cryptography. Although simulability carefully captures that a distributed system does not behave ...

Keywords: cryptographic protocols, fairness, scheduling, simulability

15 Efficient fork-linearizable access to untrusted shared memory

◆ Christian Cachin, Abhi Shelat, Alexander Shraer

◆ August 2007 PODC '07: Proceedings of the twenty-sixth annual ACM symposium on Principles of distributed computing

Publisher: ACM

Full text available: [PDF](#) (359.46 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 81, Citation C

When data is stored on a faulty server that is accessed concurrently by multiple clients, the server returns inconsistent data to different clients. For example, the server might complete a write operation of one value to memory with stale data ...

Keywords: arbitrary failures, fork-consistency, storage emulations

16 Speculative execution in a distributed file system

◆ Edmund B. Nightingale, Peter M. Chen, Jason Flinn

◆ November 2006 ACM Transactions on Computer Systems (TOCS), Volume 24 Issue 4

Publisher: ACM

Full text available: [PDF](#) (1.11 MB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 16, Downloads (12 Months): 210, Citation

Speculator provides Linux kernel support for speculative execution. It allows multiple processes to speculate on the state by tracking causal dependencies propagated through interprocess communication. It guarantees consistency by preventing speculative ...

Keywords: Distributed file systems, causality, speculative execution

17 A survey of rollback-recovery protocols in message-passing systems

◆ E. N. (Mootaz) Elnozahy, Lorenzo Alvisi, Yi-Min Wang, David B. Johnson

◆ September 2002 ACM Computing Surveys (CSUR), Volume 34 Issue 3

Publisher: ACM

Full text available: [PDF](#) (549.68 KB) Additional Information: [full citation](#), [abstract](#), [reference](#), [terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 49, Downloads (12 Months): 597, Citation

This survey covers rollback-recovery techniques that do not require special language constructs. In survey we classify rollback-recovery protocols into *checkpoint-based* and *log-based*. *Checkpoint-based*

Keywords: message logging, rollback-recovery

18 Coyote: a system for constructing fine-grain configurable communication services

◆ Nina T. Bhatti, Matti A. Hiltunen, Richard D. Schlichting, Wanda Chiu

◆ November 1998 ACM Transactions on Computer Systems (TOCS), Volume 16 Issue 4

Publisher: ACM

Full text available: [PDF](#) (290.21 KB)

Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 54, Citation C

Communication-oriented abstractions such as atomic multicast, group RPC, and protocols for location-aware mobile computing can simplify the development of complex applications built on distributed systems. This survey describes Coyote, a system ...

Keywords: x-kernal, configurable services, customization, event handlers, event-driven execution, microprotocols, mobile computing, modularity, multicast, protocols, remote procedure call

19 Total order broadcast and multicast algorithms: Taxonomy and survey

◆ Xavier Défago, André Schiper, Péter Urbán

◆ December 2004 ACM Computing Surveys (CSUR), Volume 36 Issue 4

Publisher: ACM

Full text available: [PDF](#) (544.45 KB)

Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 38, Downloads (12 Months): 485, Citation

Total order broadcast and multicast (also called atomic broadcast/multicast) present an important primitive for distributed systems, especially with respect to fault-tolerance. In short, the primitive ensures that messages sent by different processes are, ...

Keywords: Distributed systems, agreement problems, atomic broadcast, atomic multicast, classification algorithms, fault-tolerance, global ordering, group communication, message passing, survey, taxonomy

20 DieHard: probabilistic memory safety for unsafe languages

◆ Emery D. Berger, Benjamin G. Zorn

◆ June 2006 PLDI '06: Proceedings of the 2006 ACM SIGPLAN conference on Programming language implementation

Publisher: ACM

Full text available: [PDF](#) (183.05 KB)

Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 92, Citation C

Applications written in unsafe languages like C and C++ are vulnerable to memory errors such as buffer overflows, dangling pointers, and reads of uninitialized data. Such errors can lead to program crashes, security vulnerabilities, and unpredictable ...

Keywords: DieHard, dynamic memory allocation, probabilistic memory safety, randomization, replacement

Results 1 - 20 of 25

Result page: 1 [2](#) [next](#) [>>](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [RealPlayer](#)